In the Claims:

Please cancel claims 9-11 and 13. Please amend claims 1-8 and 12 as follows. Please add new claims 14-18.

1. (Currently Amended) A compound of formula (I)

wherein

R represents is halogen, C₁₋₄ alkyl, cyano, C₁₋₄ alkoxy, trifluoromethyl or trifluoromethoxy;

R₁ represents <u>is</u> a 5 or 6 membered heteroaryl group, in which the 5-membered heteroaryl group contains at least one heteroatom selected from oxygen, sulphur or nitrogen and the 6-membered heteroaryl group contains from 1 to 3 nitrogen atoms, or R₁ represents <u>is</u> a 4, 5 or 6 membered heterocyclic group, wherein <u>said</u> saids 5 or 6 membered heteroaryl or the 4, 5 or 6 membered heterocyclic group may optionally be substituted by one to three substituents, which may be the same or different, selected from (CH₂)_pR₆, wherein p is zero or an integer from

halogen,

C₁₋₄alkoxy,

C₁₋₄alkyl,

C3-7cycloalkyl,

1 to 4 and R₆ is selected from:

C₁₋₄ alkyl optionally substituted by halogen, cyano or C₁₋₄ alkoxy, hydroxy,

cyano,

```
nitro,
trifluoromethyl,
carboxy,
NH(C<sub>1-4</sub> alkyl),
N(C<sub>1-4</sub> alkyl)<sub>2</sub>
NH(C<sub>3-7</sub> cycloalkyl),
N(C<sub>1-4</sub> alkyl)(C<sub>3-7</sub> cycloalkyl);
NH(C<sub>1-4</sub> alkyl)(C<sub>3-7</sub> cycloalkyl);
NH(C<sub>1-4</sub> alkylOC<sub>1-4</sub> alkoxy),
OC(O)NR<sub>7</sub>R<sub>8</sub>,
NR<sub>8</sub>C(O) R<sub>7</sub> or
C(O)NR<sub>7</sub>R<sub>8</sub>;
```

R₂ represents is hydrogen, or C₁₋₄ alkyl;

R₃ and R₄ independently represents <u>are</u> hydrogen, C₁₋₄ alkyl or R₃ together with R₄ and the carbon to which they are bonded is represents C₃₋₇ cycloalkyl;

R₅ represents is trifluoromethyl, S(O)_qC ₁₋₄ alkyl, C₁₋₄ alkyl, C₁₋₄ alkoxy, trifluoromethoxy, halogen or cyano;

R₇ and R₈ independently represents <u>are</u> hydrogen, C₁₋₄ alkyl or C₃₋₇ cycloalkyl;

L is a single or a double bond;

n is an integer from 1 to 3;

m is zero or an integer from 1 to 3;

q is zero or an integer from 1 to 2;

provided that

- a) when L is a double bond, R₁ is not an optionally substituted 5 or 6 membered heteroaryl group, in which the 5-membered heteroaryl group contains at least one heteroatom selected from oxygen, sulphur or nitrogen and the 6-membered heteroaryl group contains from 1 to 3 nitrogen atoms;
- b) the group R₁ is linked to the carbon atom shown as * via a carbon atom;

and

- c) when the heteroatom contained in the group R₁ is substituted, p is not zero;
 and pharmaceutically acceptable salts and solvates thereof.
- 2. (Currently Amended) A compound as claimed in claim 1 wherein R is halogen (e.g. fluorine or chlorine) and/or a-C₁₋₄ alkyl (e.g. methyl) group and n is an integer from 1 to 2.
- (Currently Amended) A compound as claimed in claim 1 or claim
 wherein R₅ is trifluoromethyl, methyl, methoxy, bromine, chlorine or
 fluorine atom and m is an integer from 1 to 2.
- 4. (Currently Amended) A compound as claimed in <u>claim 1</u> any of claims 1 to 3 wherein R₁ is piperidyl, morpholinyl, 1,2,3,6-tetrahydro-4-pyridinyl, pyridyl or pyrrolidinyl.
- 5. (Currently Amended) A compound as claimed in <u>claim 1</u> any of claims 1 to 4 wherein R is halogen (e.g. fluorine or chlorine) and/or a C₁₋₄ alkyl (e.g. methyl) group and n is an integer from 1 to 2; R₁ is piperidyl, 2-morpholinyl, 1,2,3,6-tetrahydro-4-pyridinyl, pyridyl or pyrrolidinyl and wherein R₁ is optionally substituted by one or two groups selected from halogen (e.g fluorine), C₁₋₄ alkyl (e.g. methyl) or ethylC₁₋₄ alkoxy; R₂ and R₃ are independently hydrogen or methyl; R₄ is hydrogen, methyl or together with R₃ is cyclopropyl and R₅ is trifluoromethyl, methyl, methoxy, bromine, chlorine or fluorine atom and m is preferably an integer from 1 to 2.
- (Currently Amended) A compound selected from:
 \(\mathcal{H}(3,5-Bis-trifluoromethyl-benzyl)-3-(4-fluoro-phenyl)-\(\mathcal{H}\)-methyl-3-piperidin-4-yl-propionamide;

- **N-**(3,5-Dichloro-benzyl)-3-(4-fluoro-phenyl)-**N-**methyl-3-piperidin-4-yl-propionamide;
- √[1-(3,5-Dichloro-phenyl)-ethyl]-3-(4-fluoro-phenyl)-
 √methyl-3-piperidin-4-yl-propionamide;
- N-[1-(3,5-Dichloro-phenyl)-ethyl]-3-(4-fluoro-phenyl)-N-methyl-3-[1-(2-methoxyethyl)-piperidin-4-yl]-propionamide;
- N-(3,5-Dichloro-benzyl)-3-(4-fluoro-phenyl)-3-(4-fluoro-piperidin-4-yl)-N-methyl-proprionamide;
- M-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-M-methyl-3-{1-[2-(methyloxy)ethyl]-4-piperidinyl}propionamide M-{-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluorophenyl)-M-methyl-3-(4-piperidinyl)propanamide;
- *N*-{1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl}-3-(4-fluorophenyl)-3-(4-piperidinyl)propionamide;
- N-{[3-bromo-4-(methyloxy)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide;
- N-[(3,5-dimethylphenyl)methyl]-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide;
- N-[(3,4-dibromophenyl)methyl]-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide;
- M-[(3-fluoro-2-methylphenyl)methyl]-3-(4-fluorophenyl)-M-methyl-3-(4-piperidinyl)propionamide;
- N-{[2-chloro-3-(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide;
- N-{-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;
- M-[(3,5-dibromophenyl)methyl]-3-(4-fluorophenyl)-3-(4-fluoro-4-piperidinyl)-M-methylpropionamide;
- √-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(2,4-dichlorophenyl)-3-(4-fluoro-4-piperidinyl)- ✓-methylpropionamide;
- N-{-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluoro-2-methylphenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;

- **№**[(3,5-dibromophenyl)methyl]-3-(4-fluoro-2-methylphenyl)-3-(4-fluoro-4-piperidinyl)-**№**methylpropionamide;
- N-[(3,5-dibromophenyl)methyl]-3-(3,4-dichlorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;
- 3-(4-chlorophenyl)- \mathcal{N} -[(3,5-dibromophenyl)methyl]-3-(4-fluoro-4-piperidinyl)- \mathcal{N} -methylpropionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(3-piperidinylidene)propionamide;
- N-[(3,5-dibromophenyl)methyl]-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinylidene)propionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluoro-2-methylphenyl)-N-methyl-3-(1,2,3,6-tetrahydro-4-pyridinyl)propionamide;
- N-{(1R)-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluoro-2-methylphenyl)-N-methyl-3-(1,2,3,6-tetrahydro-4-pyridinyl)propionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(3-pyrrolidinyl)propionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-3-(3-fluoro-3-piperidinyl)-N-methylpropionamide;
- N-{-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluorophenyl)-N-methyl-3-(2-morpholinyl)propionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(3-piperidinyl)propionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(4-pyridinyl)propionamide;
- and enantiomers, diastereiosomers, pharmaceutically acceptable salts (e.g. hydrochloride) and solvates thereof.
- 7. (Currently Amended) A compound selected from
- *N*-{(1*R*)-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluorophenyl)-*N*-methyl-3-(4-piperidinyl)propionamide(diastereoisomer 1);

- N-{(1*S*)-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide (diastereoisomer 2);
- N-{(1R)-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide (diastereoisomer 1;
- №[(3,5-dibromophenyl)methyl]-3-(4-fluorophenyl)-3-(4-fluoro-4-piperidinyl)
 methylpropionamide (enantiomer 2);
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-3-(3-fluoro-3-piperidinyl)-N-methylpropionamide (diastereoisomer A); and pharmaceutically acceptable salts (e.g-hydrochloride) and solvates thereof.
- 8. (Currently Amended) A process for the preparation of a compound as claimed in claim 1 which comprises reacting an activated derivative of the carboxylic acid of formula (II) wherein R₁ has the meaning previously defined or is a protected group thereof, with amine (III)

$$\begin{array}{c|c} & & & & & \\ & & & & \\ \hline (R)n & & & & \\ \hline (R)_n & & &$$

wherein R_2 is C_{1-4} alkyl or a nitrogen protecting group, followed where necessary by removal of any protecting group.

9-11. (Canceled)

12. (Currently Amended) A pharmaceutical composition comprising a compound as claimed in <u>claim 1</u> any claims 1 to 7 in admixture with one or more pharmaceutically acceptable carriers or excipients.

- 13. (Canceled)
- 14. (New) A compound as claimed in claim 1 wherein R is fluorine or chlorine or methyl and n is an integer from 1 to 2.
- 15. (New) A compound as claimed in claim 1 wherein R is fluorine or chlorine or methyl and n is an integer from 1 to 2; R₁ is piperidyl, 2-morpholinyl, 1,2,3,6-tetrahydro-4-pyridinyl, pyridyl or pyrrolidinyl and wherein R₁ is optionally substituted by one or two groups selected from fluorine, methyl or ethylC₁₋₄ alkoxy; R₂ and R₃ are independently hydrogen or methyl; R₄ is hydrogen, methyl or together with R₃ is cyclopropyl and R₅ is trifluoromethyl, methyl, methoxy, bromine, chlorine or fluorine atom and m is preferably an integer from 1 to 2.
- 16. (New) A method for the treatment of a condition mediated by a tachykinin and/or selective inhibition of serotonin reuptake transporter protein in a mammal in need thereof, comprising administering an effective amount of a compound as claimed in claim 1.
- 17. (New) The method as claimed in claim 16, wherein said tachykinin is substance P.
- 18. (New) The method as claimed in claim 16, wherein said mammal is man.